

§ 301.97

7 CFR Ch. III (1–1–04 Edition)

Subpart—Melon Fruit Fly

minimum gas concentration 44 g/m³ at ½ hour, 36 g/m³ at 2 hours; or

(B) 40 g/m³ (2½ lb/1000 ft³) methyl bromide for 2 hours at 15.5–20.5 °C. (60–69 °F.), minimum gas concentration 36 g/m³ at ½ hour, 28 g/m³ at 2 hours; or

(C) 32 g/m³ (2 lb/1000 ft³) methyl bromide for 2 hours at 21–26 °C. (70–79 °F.), minimum gas concentration 30 g/m³ at ½ hour, 25 g/m³ at 2 hours.

(3) *Tomato*—(i) *Fumigation*. Fumigate with methyl bromide at normal atmospheric pressure (chamber or tarpaulin, load not to exceed 80%) with 32g/m³ (2 lb/1000 ft³) for 3½ hours at 21 °C. (70 °F.) or above, minimum gas concentration 26 g/m³ at ½ hour, 14 g/m³ at 4 hours.

(ii) *Vapor heat*. Heat by saturated water vapor at 44.4 °C. (112 °F.) until approximate center of tomato reaches 44.4 °C. (112 °F.). Maintain at 44.4 °C. (112 °F.) for 8¾ hours, then immediately cool.

(b) *Premises*. A field, grove, or area that is located within the quarantined area but outside the infested core area, and that produces regulated articles, must receive regular treatments with malathion bait spray. These treatments must take place at 6- to 10-day intervals, starting a sufficient time before harvest (but not less than 30 days before harvest) to allow for completion of egg and larvae development of the Oriental Fruit Fly. Determination of the time period must be based on the day degrees model for Oriental fruit fly. Once treatment has begun, it must continue through the harvest period. The malathion bait spray treatment must be applied by aircraft or ground equipment at a rate of 2.4 ounces of technical grade malathion and 9.6 ounces of protein hydrolysate per acre.

(c) *Soil*. Soil within the drip area of plants which are producing or have produced the fruits, nuts, vegetables, and berries listed in §301.93–2(a) of this subpart: Apply diazinon at the rate of 5 pounds active ingredient per acre to the soil within the drip area with sufficient water to wet the soil to at least a depth of ½ inch. Both immersion and pour-on treatment procedures are also acceptable.

[58 FR 8521, Feb. 16, 1993; 58 FR 29028, May 18, 1993; 67 FR 8465, Feb. 25, 2002]

SOURCE: 65 FR 8636, Feb. 22, 2000, unless otherwise noted.

§ 301.97 Restrictions on interstate movement of regulated articles.

No person may move interstate from any quarantined area any regulated article except in accordance with this subpart.¹

[65 FR 8636, Feb. 22, 2000, as amended at 66 FR 21053, Apr. 27, 2001]

§ 301.97–1 Definitions.

Administrator. The Administrator, Animal and Plant Health Inspection Service, or any person authorized to act for the Administrator.

Animal and Plant Health Inspection Service. The Animal and Plant Health Inspection Service (APHIS) of the United States Department of Agriculture.

Certificate. A document in which an inspector or person operating under a compliance agreement affirms that a specified regulated article is free of melon fruit fly and may be moved interstate to any destination.

Compliance agreement. A written agreement between APHIS and a person engaged in growing, handling, or moving regulated articles, wherein the person agrees to comply with this subpart.

Departmental permit. A document issued by the Administrator in which he or she affirms that interstate movement of the regulated article identified on the document is for scientific or experimental purposes and that the regulated article is eligible for interstate movement in accordance with §301.97–4(d) of this subpart.

Dripline. The line around the canopy of a plant.

Infestation. The presence of the melon fruit fly or the existence of circumstances that makes it reasonable

¹Any properly identified inspector is authorized to stop and inspect persons and means of conveyance and to seize, quarantine, treat, apply other remedial measures to, destroy, or otherwise dispose of regulated articles as provided in sections 414, 421, and 434 of the Plant Protection Act (7 U.S.C. 7714, 7731, and 7754).